

Oil Types and Capacities

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|---|--------------------------------|---------------------------------|--------------------|--------------------------------|
| TRIMMERS, CHIPPERS, AND EDGERS | | | | | |
| 21C/21S 25S/30S/ 38B TRIMMERS | JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| 113/172 21HC HEDGE CLIPPER | JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| H20S, H20D, H26S, H20DLE, H20SLE HEDGE TRIMMERS | JOHN DEERE PREMIUM 2 CYCLE OIL 50:1 Ratio when using John Deere Premium 2- cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| E35 LAWN EDGER | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 0.53 (0.5) | | |
| SE23, XT120SE LAWN EDGERS | JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| CS5/CS8 CHIPPER/SHREDDER | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.65 (1.6) | 1.4 (1.3) | | |
| T23S, XT120, TS26, XT140SB, T26SB, XT140, XT140LE, XT140SELE, XT140SSELE, T30C, T30S, T40SB, T105C, T105S, XT105, XT105SB, XT170, XT170B STRING TRIMMERS | JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| POWER BLOWERS | | | | | |
| BH25LE | API Service Classification SF or higher; does not require mixing oil with fuel, but needs oil in its crankcase | | | | |
| 2BV, 2E 2LS, BH30, BP40 | JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| CHAIN SAWS | | | | | |
| CS36, CS40, CS46, CS52, CS56, CS62, CS71, CS81, J3816 | JOHN DEERE PREMIUM 2 CYCLE OIL 50:1 Ratio when using John Deere Premium 2- cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| 200CS, 230CS, 300CS, 550CS | JOHN DEERE PREMIUM 2 CYCLE OIL 50:1 Ratio when using John Deere Premium 2- cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| 450V, 800V, 66SV, 44SV, 46EV, 51SV, 55SV, 65SV | JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| 28, 30, 40V, 50V, 55V, 60V, 70V, 25EV, 45EV, 55EV, 65EV, 80EV | JOHN DEERE 2 CYCLE OIL 40:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| 8, 9, 61, 81, 81E, 91 | John Deere Chain Saw Oil or equivalent, 16:1 | | | | |
| 12, 14, 15, 17, 18, 19, 23 | John Deere Chain Saw Oil or equivalent, 1/2 pint to one gallon regular gasoline | | | | |
| WBRM | | | | | |
| 12PC | JOHN DEERE 2 CYCLE OIL 50:1 Ratio when using John Deere 2-cycle oil — 32:1 for all other 2-cycle oils. | | | | |
| 14PZ/14SZ | Torq-Gard Supreme 5W-30 | | 0.625 (0.6) | | |
| 14PT/14ST | Torq-Gard Supreme 5W-30 | | 0.625 (0.6) | | |
| 14SB/14SE | Torq-Gard Supreme 5W-30 | | 0.625 (0.6) | | |
| 14SC/ 14SX | Torq-Gard Supreme 5W-30 | | 0.625 (0.6) | | |
| 21" JS20, JS25, JS30, JS35, JS40, JS45, JS26, JS36, JS46, JS60, JS61, JS63 | Torq-Gard Supreme 10W-30 or SAE30 | | 0.625 (0.6) | | |
| 21" JA60, JA62, JA65 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 0.625 (0.6) | | |
| 21" JX75, JE75, JX85 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 0.625 (0.6) | | |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|-----------------------------------|---|--------------------------------|---------------------------------|--|--------------------------------|
| WBRM (Continued) | | | | | |
| 38/48 Inch COMMERCIAL WALK-BEHIND | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.65 (1.6) | 1.4 (1.3) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.4 (2.2) No Filter |
| 54 Inch COMMERCIAL WALK-BEHIND | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | 1.75 (1.7) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.4 (2.2) No Filter |
| GS25 | Plus-4 10W-40, Torq-Gard Supreme 5W-30 *# Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 1.6 (1.5) | 1.4 (1.3) | | |
| GS30 | Preferred Engine Oil: JD Plus-4 | 2 (1.9) | 1.6 (1.7) | | |
| GS45 | Plus-4 | 1.7 (1.6) | 1.4 (1.3) | | |
| GS75 | Plus-4 10W-40, Torq-Gard Supreme 5W-30 *# Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 2 (1.9) | 1.7 (1.6) | | |
| HD45 | Plus-4 10W-40, Turf-Gard 10W-30, Plus-4 10W-30 ## Refer to Operator's Manual ### Torq-Gard Supreme 5W-30 | 1.7 (1.6) | 1.4 (1.3) | Hy-Gard (J20C), Turf-Gard 10W-30, Plus-4 10W-30, Torq-Gard Supreme SAE30 | |
| HD75 | Plus-4 10W-40, Torq-Gard Supreme 5W-30 *# Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 2 (1.9) | 1.7 (1.6) | Hy-Gard (J20C), Turf-Gard 10W-30, Plus-4 10W-30, Torq-Gard Supreme SAE30 | |
| 7H17, 7H19 | John Deere Turf-Gard, John Deere Plus-4 | 1.7 (1.6) | | JD Plus 50 15W-40 | 3.3 (3.1) |
| 7G18 | John Deere Turf-Gard, John Deere Plus-4 | 2 (1.9) | | | |
| G15 | John Deere Turf-Gard, John Deere Plus-4 | 2 (1.9) | | | |
| SABRE WALK BEHIND MOWERS | | | | | |
| M10, M21, M23 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 0.625 (0.6) | | |
| 14PS, 14SS | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 0.625 (0.6) | | |
| SCOTTS WALK BEHIND MOWERS | | | | | |
| SP6211, SP6213 | Torq-Gard Supreme (SAE 30) (32-122 Degrees) | | 16 oz. (0.47) | | |
| SNOWBLOWERS/THROWERS | | | | | |
| TRS21 | JOHN DEERE 2 CYCLE OIL 50:1 | | | | |
| TRS22 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 19 oz. (0.6) | | |
| TRS24/TRX24 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 24 oz. (0.72) | | |
| TRS26/TRX26 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 26 oz. (0.8) | | |
| TRS27/TRS32 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 26 oz. (0.8) | | |
| 524, 524D | Torq-Gard Supreme - 5W-30 | | 0.65 (0.6) | | |
| 724D | Torq-Gard Supreme - 5W-30 | | 0.65 (0.6) | See Operator's Manual | |
| 526, 726, 732 | Torq-Gard Supreme | | 19 oz. (0.56) | | |
| 826, 832, 1032 | Torq-Gard Supreme | | 24 oz. (0.71) | | |
| 826D | Torq-Gard Supreme - 5W-30 | | 0.8 (0.77) | | |
| 828D | Torq-Gard Supreme - 5W-30 | | 0.8 (0.77) | | |
| 924DE | Torq-Gard Supreme - SAE 5W-30, or Uni-Gard - SAE 5W-30 | | 0.8 (0.77) | | |
| 1032D | Torq-Gard Supreme 5W-30 | | 0.8 (0.77) | | |
| 1128DE, 1128DDE | Torq-Gard Supreme - SAE 5W-30, or Uni-Gard - SAE 5W-30 | | 0.8 (0.77) | | |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|--|--------------------------------|---------------------------------|--------------------|--------------------------------|
| SNOWBLOWERS/THROWERS (Continued) | | | | | |
| 1332DDE | Torq-Gard Supreme - SAE 5W-30, or Uni-Gard - SAE 5W-30 | | 1.0 (0.95) | | |
| 320 | JOHN DEERE 2 CYCLE OIL 50:1 | | | | |
| 322 | JOHN DEERE 2 CYCLE OIL 32:1 | | | | |
| 520 | Plus-4 | | 21 oz. (0.62) | | |
| 522 | Torq-Gard Supreme | | 21 oz. (0.62) | | |
| 524 | Torq-Gard Supreme | | 21 oz. (0.62) | | |
| RIDING MOWERS | | | | | |
| 55 | Torq-Gard 30 | | 27 oz. (0.81) | | |
| 56 | Torq-Gard 30 | | 27 oz. (0.81) | | |
| 57 | Torq-Gard Supreme 30 | | 27 oz. (0.81) | | |
| 65 | Torq-Gard Supreme 30 | | 27 oz. (0.81) | | |
| 68 | Torq-Gard Supreme 30 | | 36 oz. (1.06) | | |
| R70 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| R72 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| S80 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| S82 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| R92 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | | |
| S92 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | | |
| RX63 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | | |
| RX73 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| RX75 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| SX75 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| RX95 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | | |
| SX95 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | | |
| GX70 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| GX75 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| GX95 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | | |
| SRX75 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.15 (1.1) | | |
| SRX95 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | | |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|------------------------|--|--------------------------------|---------------------------------|--|--------------------------------|
| LAWN TRACTORS | | | | | |
| 60, 70 | Torq-Gard Supreme 30 | | 0.75 (0.71) | AM30200M | 1.5 (1.4) |
| 100 | Torq-Gard Supreme 30 | | 1.125 (1.06) | | |
| LX172 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.7 (1.6) | | | |
| LX173 | Plus-4 SAE 10W-40, Turf-Gard SAE 10W-30, Plus-4 SAE 10W-30 | 1.9 (1.8) | | SAE 5W-30 or SAE 10W-30 | |
| LX176 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.7 (1.6) | | | |
| LX178 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.8 (1.7) | 1.6 (1.5) | | |
| LX186 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | | | |
| LX188 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.8 (1.7) | 1.6 (1.5) | | |
| LX255 | Plus-4 10W-40, Torq-Gard Supreme 5W-30 | 2 (1.9) | 1.75 (1.65) | Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C) | 2.7 (2.5) |
| LX266 | Turf-Gard SAE 10W-30, Plus-4 - SAE 10W-30, Torq-Gard Supreme - SAE 30 | 2 (1.9) | 1.75 (1.65) | Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C) | 4.6 (4.4) |
| LX277 | Plus-4 10W-40, Torq-Gard Supreme 5W-30 | 1.8 (1.7) | 1.6 (1.5) | Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C) | 2.7 (2.5) |
| LX279 | Plus-4 10W-40, Torq-Gard Supreme 5W-30 | 1.9 (1.8) | 1.6 (1.5) | Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C) | 2.7 (2.5) |
| LX280, LX289 | Plus-4 SAE 10W-40, Turf-Gard SAE 10W-40 | 1.9 (1.8) | | 5W-30 or 10W-30 | See Operator's Manual |
| LX288 | Plus-4 10W-40, Torq-Gard Supreme 5W-30 | 1.9 (1.8) | 1.5 (1.4) | Turf-Gard 10W-30, Torq-Gard Supreme 5W-30 or Hy-Gard Transmission Oil (J20C) | 2.7 (2.5) |
| SST15 | Turf-Gard, Plus-4 | 1.9 (1.8) | 1.5 (1.4) | Low Viscosity Hy-Gard (J20D) | See Operator's Manual |
| SST16, SST18 | Turf-Gard, Plus-4 | 1.6 (1.5) | 1.5 (1.4) | | |
| STX30 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | 1.75 (1.6) | | |
| STX38/STX46 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | 1.75 (1.6) | | |
| LT133 | Plus-4 10W-40, Turf-Gard 10W-30, Plus-4 10W-30 | | 1.9 (1.8) | | |
| LT150, LT160 | Turf-Gard or Plus-4 | | 1.5 (1.4) | | |
| LT155 | Plus-4 10W-40, Turf-Gard 10W-30, Plus-4 10W-30 | | 1.9 (1.8) | | |
| LT166 | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | | 1.8 (1.7) | | |
| LTR155, LTR166, LTR180 | Turf-Gard, Plus-4 | 2.1 (2) | 1.9 (1.8) | | |
| LT170, LT180 | Turf-Gard or Plus-4 | | 1.6 (1.5) | | |
| LT190 | Plus-4 SAE 10W-40, Turf-Gard SAE 10W-30 | 1.6 (1.5) | 1.5 (1.4) | | |
| 102, 115 | Turf-Gard or Plus-4 | 1.5 (1.4) | | | |
| 108 | Torq-Gard Supreme (SAE20) | | 1.125 (1) | Hy-Gard | 0.75 (0.70) |
| 111 | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | | 1.5 (1.4) | Hy-Gard | 0.75 (0.70) |
| 111H | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | | 1.5 (1.4) | Hy-Gard | 1.125 (1.1) |
| 112L | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.8 (1.7) | 1.5 (1.4) | Hy-Gard | 1.125 (1.1) |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|--|--------------------------------|---------------------------------|---|--------------------------------|
| LAWN TRACTORS (Continued) | | | | | |
| 116 | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | | 1.5 (1.4) | Hy-Gard | 0.74 (0.70) |
| 116H | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | | 1.5 (1.4) | Hy-Gard | 1.16 (1.1) |
| 125, 135, 145, 155C, 190C | Turf-Gard or Plus-4 | 2 (1.9) | | | |
| 130 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.16 (1.1) | See Operator's Manual | 1.16 (1.1) |
| 160 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.6 (1.5) | 1.5 (1.4) | See Operator's Manual | 1.16 (1.1) |
| 165 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.6 (1.5) | 1.5 (1.4) | See Operator's Manual | 0.74 (0.70) |
| 170 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.8 (1.7) | 1.4 (1.3) | See Operator's Manual | 0.74 (0.70) |
| 175 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.8 (1.7) | 1.4 (1.3) | See Operator's Manual | 0.74 (0.70) |
| 180 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | 1.7 (1.6) | See Operator's Manual | 1.16 (1.1) |
| 185 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | 1.7 (1.6) | See Operator's Manual | 0.74 (0.70) |
| L100 | Turf-Gard or Plus-4 | | 1.5 (1.4) | 10W-30 or Hy-Gard (J20C) | |
| L108 | Turf-Gard or Plus-4 | | See Operator's Manual | 10W-30 or Hy-Gard (J20C) | |
| L111 | Turf-Gard or Plus-4 | 2 (1.9) | | 10W-30 or Hy-Gard (J20C) | |
| L110, L118, L120, L130 | Turf-Gard or Plus-4 | 2 (1.9) | 1.9 (1.8) | 10W-30 or Hy-Gard (J20C) | |
| LA100, LA105, LA110, LA115, LA125 | Turf-Gard or Plus-4 | 1.5 (1.4) | 1.5 (1.4) (LA100) | | |
| X110, X120 | Turf-Gard or Plus-4 | 1.5 (1.4) (X120) | 1.5 (1.4) (X110) | | |
| LA120, LA130, LA135, LA140, LA145, LA150, LA155, LA165, LA175, X140 | Turf-Gard or Plus-4 | 2 (1.9) | | | |
| LAWN & GARDEN TRACTORS | | | | | |
| 110, 110H | AM30200M | | 1.25 (1.2) | | |
| 112, 112H | AM30200M | | 1.25 (1.2) | | |
| 112 (Kohler) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | | |
| 120 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 140 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 200 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.25 (1.2) | | |
| 208 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.25 (1.2) | | |
| 210 (-95261) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2 (1.6) |
| 212 (-95261) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2 (1.6) |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|--|--------------------------------|---------------------------------|---|--------------------------------|
| LAWN & GARDEN TRACTORS (Continued) | | | | | |
| 214 (-95261) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2 (1.6) |
| 216 (-95261) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2 (1.6) |
| 210 (95262-) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 2 (1.9) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2 (1.6) |
| 212 (95262-) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 2 (1.9) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2 (1.6) |
| 214 (95262-) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 2 (1.9) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2 (1.6) |
| 216 (95262-) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 2 (1.9) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2 (1.6) |
| 240 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.9 (1.8) | 1.4 (1.3) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.6 (2.5) |
| 245 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.75 (1.7) | 1.35 (1.3) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.6 (2.5) |
| 260 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2.1 (2) | 1.7 (1.6) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.6 (2.5) |
| 265 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2.1 (2) | 1.7 (1.6) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.6 (2.5) |
| 285 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 2 (1.9) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.6 (2.5) |
| GT225 | U.S. Torq-Gard Supreme 5W-30 | 1.9 (1.8) | 1.4 (1.3) | Low Viscosity Hy-Gard (J20D) | 5.1 (4.87) |
| GT235 | U.S. Torq-Gard Supreme 5W-30 | 1.7 (1.65) | 1.4 (1.3) | Low Viscosity Hy-Gard (J20D) | 5.1 (4.87) |
| GT245, GT235E | Turf-Gard, Plus-4 | | 1.8 (1.7) | Hy-Gard (J20C) | 2.5 (2.4) |
| GT242 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.7 (1.6) | 1.35 (1.3) | Low Viscosity Hy-Gard (J20D) | 3.4 (3.3) No Filter |
| GT262 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.9 (1.8) | 1.7 (1.6) | Low Viscosity Hy-Gard (J20D) | 3.4 (3.3) |
| GT275 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.9 (1.8) | 1.7 (1.6) | Low Viscosity Hy-Gard (J20D) | 3.4 (3.3) |
| GX255 | Turf-Gard or Plus-4 | 1.8 (1.7) | 1.6 (1.5) | Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| GX325, GX335, GX345 | Turf-Gard SAE 10W-30, Plus-4 - SAE 10W-30, Uni-Gard - SAE 5W-30 | 1.8 (1.7) | 2 (1.9) | Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| GX355 | Plus-50 - SAE 15W-40 | 2.4 (2.3) | 2.2 (2.1) | Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| G100 | Turf-Gard or Plus-4 | 2.1 (2) | 1.7 (1.6) | 5W-50 Synthetic Oil | 2.2 (2.1) |
| G110 | Turf-Gard or Plus-4 | 2 (1.9) | 1.9 (1.8) | 5W-50 Synthetic Oil | |
| 300 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 312 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 314 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 316 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.75 (1.6) | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 316 (2 CYL) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.7 (1.6) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|--|--------------------------------|---------------------------------|---|---|
| LAWN & GARDEN TRACTORS (Continued) | | | | | |
| 317 (17HP) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.75 (1.6) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 317 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.75 (1.6) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 318 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.75 (1.6) | 1.5 (1.5) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 320 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | 1.8 (1.7) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.6 (2.5) |
| 322 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2.6 (2.5) | 3.1 (3) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| 325 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.9 (1.8) | 1.7 (1.6) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.7 (4.3) |
| 330 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | | 3.1 (3) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| 332 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 2.6 (2.5) | 3.6 (3.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 335 | Turf-Gard, Plus-4 | 1.8 (1.7) | 1.7 (1.6) | Low Viscosity Hy-Gard (J20D) | 4.7 (4.3) |
| 345 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | 1.8 (1.7) | Low Viscosity Hy-Gard (J20D) | 4.7 (4.3) |
| 355D | Plus 50 15W-40 (-15°-50° C), Torq-Gard Supreme 5W-30 (-30°-30° C) | 2.4 (2.27) | 2.2 (2.08) | Low Viscosity Hy-Gard (J20D) | 4.7 (4.3) |
| 400 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 3 (2.8) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5.5 (5.17) |
| 420 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.75 (1.6) | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 425 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.5 (1.4) | | Low Viscosity Hy-Gard (J20D) | 6 (5.7) |
| 430 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 3.1 (3) | 2.6 (2.5) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| 445 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 1.5 (1.4) | | Low Viscosity Hy-Gard (J20D) | 7 (6.6) |
| 455 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 3 (2.8) | | Low Viscosity Hy-Gard (J20D) | 7 (6.6) |
| X300, X300R, X304 | Turf-Gard, or Plus-4 | 1.8 (1.7) | | | |
| X320, X324, X340, X360 | Turf-Gard, or Plus-4 | 2.1 (1.9) | | | |
| X465 | Turf-Gard, or Plus-4 | | 1.8 (1.7) | Low Viscosity Hy-Gard (J20D) | 7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer |
| X475 | Turf-Gard, or Plus-4 | | 2.1 (2) | Low Viscosity Hy-Gard (J20D) | 7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer |
| X485 | Turf-Gard, or Plus-4 | | 2.1 (2) | Low Viscosity Hy-Gard (J20D) | 7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer |
| X495 X595 | Plus-50, Plus-4, Torq-Gard Supreme | | 3 (2.8) | Low Viscosity Hy-Gard (J20D) | 7 (6.6) |
| X585 | Turf-Gard, or Plus-4 | | 2.1 (2) | Low Viscosity Hy-Gard (J20D) | 7 (6.6) |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|--|--------------------------------|---------------------------------|------------------------------|---|
| LAWN & GARDEN TRACTORS (Continued) | | | | | |
| X500, X530, X534 | Turf-Gard, or Plus-4 | 2.1 (1.9) | | Low Viscosity Hy-Gard (J20D) | 5.6 (5.3) |
| X520, X540 | Turf-Gard, or Plus-4 | 2.4 (2.3) | | Low Viscosity Hy-Gard (J20D) | 5.6 (5.3) |
| X700, X720, X724, X728, X729 | Plus-4 SAE 10W-40, or Torq-Gard Supreme SAE 5W-30 | 1.9 (1.8) | | Low Viscosity Hy-Gard (J20D) | 7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer |
| X740, X744, X748 | Plus-50 SAE 15W-40, or Torq-Gard Supreme SAE 5W-30 | 2.25 (2.12) | | Low Viscosity Hy-Gard (J20D) | 7 (6.6) 2W-Steer 6 (5.6) All Wheel Steer |
| X749 | Plus-50, Plus 4 or Torq-Gard | 2.75 (2.6) | | | |
| SABRE LAWN TRACTORS | | | | | |
| 1338G | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | | |
| 1438G | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | | |
| 14.542GS | Turf-Gard, or Plus-4 | | 1.5 (1.4) | Low Viscosity Hy-Gard (J20D) | |
| 1438HS | Plus-4 or Torq-Gard Supreme 5W-30 | 1.7 (1.6) | 1.5 (1.42) | 10W-30 Engine Oil Type CD | 2.5 (2.36) |
| 15HP GEAR | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | | |
| 15HP HYDRO | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | 10W-30 Type CD | 2.4 (2.5) |
| 15.5 HP GEAR | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | | |
| 15.5 HP HYDRO | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | 10W-30 Type CD | 2.4 (2.5) |
| 16 HP GEAR | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | | |
| 16 HP HYDRO | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | 10W-30 Type CD | 2.4 (2.5) |
| 16 HP V-TWIN | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | | |
| 1642HS | Turf-Gard or Plus-4 | | 1.5 (1.4) | Low Viscosity Hy-Gard (J20D) | |
| SABRE YARD TRACTORS | | | | | |
| 17 HP GEAR | Plus-4 | 1.7 (1.6) | 1.5 (1.4) | | |
| 17 HP HYDRO | Plus-4 | 1.7 (1.6) | 1.5 (1.4) | | |
| 17.542HS | Turf-Gard or Plus-4 | 2 (1.9) | 1.9 (1.8) | Low Viscosity Hy-Gard (J20D) | |
| 18 HP GEAR | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | | |
| 18 HP HYDRO | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | 5W-50 Synthetic Oil | 3.6 (3.4) |
| 18 HP V-TWIN | Plus-4/ Torq-Gard Supreme 5W-30 | 1.7 (1.6) | 1.25 (1.19) | 10W-30 Engine Oil Type CD | 2.5 (2.36) |
| 1948 | Torq-Gard or Plus-4 | 2 (1.9) | 1.9 (1.8) | Refer to Operator's Manual | Refer to Operator's Manual |
| 2046 | Turf-Gard or Plus-4 | 2 (1.9) | 1.9 (1.8) | Refer to Operator's Manual | Refer to Operator's Manual |
| SABRE YARD & GARDEN TRACTORS | | | | | |
| 2148, 2354 | Torq-Gard, Plus-4 | 2 (1.9) | 1.9 (1.8) | Refer to Operator's Manual | Refer to Operator's Manual |
| 20 HP | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.63 (1.54) | 1.5 (1.42) | 5W-50 Synthetic Oil | 3.6 (3.4) |
| 22 HP | Plus-4 | 1.63 (1.54) | 1.5 (1.42) | 5W-50 Synthetic Oil | 3.6 (3.4) |
| 25 HP | Torq-Gard Supreme SAE30, Torq-Supreme 5W-30 | 1.75 (1.6) | 1.5 (1.42) | 5W-50 Synthetic Oil | 3.6 (3.4) |
| SCOTT'S LAWN AND GARDEN TRACTORS | | | | | |
| L17.542 | Turf-Gard or Plus-4 | 2 (1.9) | 1.9 (1.8) | Low Viscosity Hy-Gard (J20D) | |
| L1742 | Turf-Gard or Plus-4 | | 1.5 (1.4) | Low Viscosity Hy-Gard (J20D) | |
| L2048 | Turf-Gard or Plus-4 | 2 (1.9) | 1.9 (1.7) | Low Viscosity Hy-Gard (J20D) | |
| L2548 | Turf-Gard or Plus-4 | 2 (1.9) | 1.9 (1.8) | Low Viscosity Hy-Gard (J20D) | |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|--|--|--------------------------------|---------------------------------|---|--------------------------------|
| SCOTTS LAWN AND GARDEN TRACTORS (Continued) | | | | | |
| S1642 | Above 40°F - 30W, otherwise 10W-30 | 2 (1.9) | 1.9 (1.8) | 10W-30 Engine Oil Type CD | 2.5 (2.36) |
| S1742 | Above 40°F - 30W else 10W-30 | 1.75 (1.6) | 1.5 (1.42) | 10W-30 Engine Oil Type CD | 2.5 (2.36) |
| S2046 | Above 40°F - 30W else 10W-30 | 2 (1.9) | 1.9 (1.8) | 10W-30 Engine Oil Type CD | 2.5 (2.36) |
| S2048 | 10W-30 | 2.1 (2) | 1.7 (1.6) | 5W-30 or 10W-30 Engine Oil | 3.2 (2.97) (incl. Reservoir) |
| 2348 | Turf-Gard or Plus-4 | 2 (1.9) | | Refer to Operator's Manual | Refer to Operator's Manual |
| S2554 | 10W-30 | 2.1 (2) | 1.7 (1.6) | 5W50 Synthetic Engine Oil | 3.2 (2.97) (Incl. Reservoir) |
| FRONT MOUNT MOWERS | | | | | |
| F510 | 5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual) | 2.5 (2.4) | | Turf-Gard 10W-30 or Torq-Gard Supreme 5W-30 | |
| F525 | 5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual) | 2.5 (2.4) | | Turf-Gard 10W-30 or Torq-Gard Supreme 5W-30 | |
| F710 | 5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual) | | 1.7 (1.6) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.5 (2.4) |
| F725 | 5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual) | | 2 (1.9) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.5 (2.4) |
| F735 (Diesel) | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 2 (1.9) | Hy-Gard (J20C) | 4.7 (4.5) |
| F910 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2 (1.9) | 1.5 (1.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| F911 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | | 1.6 (1.5) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| F912 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2.5 (2.4) | 2 (1.9) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| F915 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 2.6 (2.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| F925 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 3.3 (3.1) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| F930 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 3 (2.9) | 2.5 (2.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| F932 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 3.5 (3.3) | 2.5 (2.4) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| F935 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 3.3 (3.1) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.6 (4.4) |
| F1145 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 4.1 (3.9) | | Low Viscosity Hy-Gard (J20D) | 4.5 Gal. (17) |
| 1420, 1435 | Torq-Gard Supreme, Plus-4, Plus-50 | 3.3 (3.1) | | Hy-Gard (J20C) | 9 (8.5) 2WD 9.2 (8.7) 4WD |
| 1445 | Torq-Gard Supreme, Plus-4, Plus-50 | 3.8 (3.6) | | Hy-Gard (J20C) | 9 (8.5) 2WD 9.2 (8.7) 4WD |
| 1545 | Torq-Gard Supreme, Plus-4, Plus-50 | 3.8 (3.6) | | Hy-Gard (J20C) | 11 (10.4) |
| 1565 | Torq-Gard Supreme, Plus-4, Plus-50 | 5.1 (4.8) | | Hy-Gard (J20C) | 11 (10.4) |
| 1600, 1620 | Torq-Gard Supreme, Plus-50 | 7 (6.6) | | Hy-Gard (J20C) | 3.5 Gal. (13.3) |
| 1600 Turbo and 1600 Turbo Series II | Torq-Gard Supreme, Plus-50 | 7 (6.6) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.5 Gal. (13.3) |
| Z-TRAK MOWERS | | | | | |
| F620 | Plus-4 10W-40, Turf-Gard 10W-30, Plus-4 10W-30 | 2.5 (2.4) | 2.3 (2.2) | Plus-4 SAE 10W-40 | 2 Gal. (7.6) |
| F680 | Turf-Gard, Torque Gard Supreme | 2.1 (2) | 1.5 (1.4) | Plus-4 SAE 10W-40 | 6 (5.7) |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|---|--------------------------------|---------------------------------|--|--|
| Z-TRAK MOWERS (Continued) | | | | | |
| F687 | Turf-Gard (SAE 10W-30), Torq-Gard Supreme (SAE 5W-30) | 1.5 (1.4) | | Turf-Gard - SAE 10W-40 | 6 (5.7) |
| M653, M655, M665 | Turf-Gard 10W-30, Plus-4 10W-30 | 2.1 (2) | | JD Plus 50 15W-40 | 8 (7.6) |
| 647, 657, 667 | John Deere Turf-Gard, John Deere Plus-4 | 1.7 (1.6) | 1.5 (1.4) | JD Plus 50 0W-40 Synthetic Blend | 3.3 (3.1) |
| 647A, 657A, 667A | John Deere Turf-Gard, John Deere Plus-4 | 1.9 (1.8) | | JD Plus 50 15W-40 Synthetic Blend | 9.2 (8.7) |
| 717, 727 | John Deere Turf-Gard, John Deere Plus-4 | 1.8 (1.7) | 1.5 (1.4) | JD Plus 50 0W-40 Synthetic Blend | 3.5 (3.3) |
| 717A, 727A | Turf-Gard, Plus-4 | 1.8 (1.7) | | JD Plus 50 15W-40, SAE 15W-40 | 10.5 (9.9) |
| 717E | Turf-Gard, Plus-4 | 1.8 (1.7) | | JD Plus 50 15W-40 | 9.5 (9) |
| Z225, Z245 EZtrak | Turf-Gard, Plus-4 | | 1.4 (1.5) | | |
| Z425 EZtrak | Turf-Gard, Plus-4 | 1.6 (1.7) | | Low Viscosity Hy-Gard (J20D) | 2.0 Gal. (7.57) |
| Z445, Z465 EZtrak | Turf-Gard, Plus-4 | 1.9 (2.0) | | Low Viscosity Hy-Gard (J20D) | 2.0 Gal. (7.57) |
| 737, 757 | John Deere Turf-Gard, John Deere Plus-4 | 1.5 (1.4) | | JD Plus 50 15W-40 | 10 (9.5) |
| 777, 797 | Turf-Gard, Plus-4 | 2.1 (2) | | JD Plus 50 15W-40, SAE 15W-40 | 10 (9.5) |
| 997 | Plus-50 SAE 15W40, Torq-Gard Supreme SAE 5W-30 | 3.8 (3.6) | | Hy-Gard (J20C) | 6.3 Gal. (24) (Incl. Reservoir) |
| Z510A, Z520A | John Deere Turf-Gard, John Deere Plus-4 | 1.9 (1.8) | | Hy-Gard (J20C) | 2.9 (2.7) |
| Z810A, Z820A | John Deere Turf-Gard, John Deere Plus-4 | 1.9 (2.0) | | Hy-Gard (J20C) | 2.9 (2.7) |
| Z830A, Z840A, Z850A, Z860A | John Deere Turf-Gard, John Deere Plus-4 | 2.1 (2) | | Hy-Gard (J20C) | 2.9 (2.7) |
| Z910A, Z920A, Z925A, Z930A, Z950A, Z960A, Z970A | John Deere Turf-Gard, John Deere Plus-4 | 2.1 (2) | | Hy-Gard (J20C) | 4.5 (4.25) |
| COMPACT UTILITY TRACTORS | | | | | |
| 650 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 2.5 (2.4) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.5 Gal. (13) |
| 655 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 2.5 (2.4) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.5 Gal. (17) |
| 670 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 2.7 (2.6) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4 Gal. (15) |
| 750 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 4 (3.8) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.7 Gal. (14) |
| 755, 756 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 3.4 (3.2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.5 Gal. (17) |
| 770, 790 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 4.2 (4) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4 Gal. (15) |
| 850 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 4.7 (4.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.75 Gal. (18) 6.9 Gal. (26) w/ MFWD |
| 855 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 4.1 (3.9) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.5 Gal. (17) |
| 870 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 5.1 (4.8) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5.5 Gal. (21) |
| 900HC | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 4.7 (4.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 7.4 Gal. (28) |
| 950 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 6.8 (6.4) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.75 Gal. (18) 6.8 Gal. (26) w/ MFWD |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|--|--------------------------------|---------------------------------|---|--|
| COMPACT UTILITY TRACTORS (Continued) | | | | | |
| 955 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 4.4 (4.2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.5 Gal. (17) |
| 970 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 5.6 (5.3) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5.5 Gal. (21) |
| 990 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 5.6 (5.3) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5.5 Gal. (21) |
| 1050 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 6.8 (6.4) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.9 Gal. (26) 9 Gal. (34) w/ MFWD |
| 1070 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 5.6 (5.3) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5.5 Gal. (21) |
| 2210 | Plus-50, Plus-4, Torq-Gard Supreme | 2.1 (2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.4 Gal. (13) |
| 2305, 2320 | Plus-50, Torq-Gard Supreme SAE 5W-30 | 3.4 (3.2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.4 Gal. (13) |
| 2520, 3005 | Plus-50, Torq-Gard Supreme | 3 (2.8) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.9 Gal. (14.6) |
| 2720 | Plus-50, Torq-Gard Supreme | 3.9 (3.6) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.9 Gal. (14.6) |
| 3203 | Plus-50, Torq-Gard Supreme | 4.5 (4.3) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.8 Gal. (25.7) |
| 3120, 3320, 3520 | Plus-50, Plus-4, Torq-Gard Supreme | 5.1 (4.8) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.3 Gal. (23.8) (PowrReverser) 6.8 Gal. (25.7) (eHydro) |
| 3720 | Plus-50, Plus-4, Torq-Gard Supreme | 6 (5.7) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.8 Gal. (25.7) |
| 4005 | Torq-Gard Supreme | 5.6 (5.3) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 8.3 Gal (31.4) |
| 4010 | Plus-50, Plus-4, Torq-Gard Supreme | 2.3 (2.2) | 2.1 (2) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.6 Gal. (10) |
| 4100 Gear | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2.3 (2.2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.8 Gal. (10.5) |
| 4100 HST | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 2.3 (2.2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.3 Gal. (12.5) |
| 4105 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 4.5 (4.3) | | | |
| 4110 | Plus-50, Plus-4, Torq-Gard Supreme | 2.3 (2.2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.5 Gal. (13.3) |
| 4115 | Plus-50, Plus-4, Torq-Gard Supreme | 2.1 (2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3.9 Gal. (14.6) |
| 4200 CST or SRT | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 3.8 (3.6) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.3 Gal. (24) |
| 4200 HST | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 3.8 (3.6) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.8 Gal. (26) |
| 4210 | Plus-50, Plus-4, Torq-Gard Supreme | 4 (3.8) | | Low Viscosity Hy-Gard (J20D) | 6.8 Gal. (26) |
| 4300, 4400 CST or SRT | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 5 (4.7) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.3 Gal. (24) |
| 4300, 4400 HST | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 5 (4.7) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.8 Gal. (26) |
| 4310 | Plus-50, Plus-4, Torq-Gard Supreme | 4.5 (4.3) | | Low Viscosity Hy-Gard (J20D) | 6.8 Gal. (26) |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|--|--------------------------------|---------------------------------|---|---|
| COMPACT UTILITY TRACTORS (Continued) | | | | | |
| 4410 | Plus-50, Plus-4, Torq-Gard Supreme | 4.5 (4.3) | | Low Viscosity Hy-Gard (J20D) | 6.8 Gal. (26) |
| 4500, 4600, 4700 Hydro | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 6.2 (5.8) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 8.8 Gal. (33.4) |
| 4500, 4600, 4700 Gear | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 6.2 (5.8) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 6.8 Gal. (25.7) |
| 4510, 4610, 4710 | Plus-50, Plus-4, Torq-Gard Supreme | 5.1 (4.8) | | Low Viscosity Hy-Gard (J20D) | 9.8 Gal. (37) |
| 4120, 4320, 4520, 4720 | Plus-50, Torq-Gard Supreme | 7.9 (7.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10.3 Gal. (38.9) (PowrReverser) 9.6 Gal. (36.1) (eHydro) |
| UTILITY TRACTORS | | | | | |
| 1020 | Refer to Operator's Manual | Refer to Operator's Manual | | Refer to Operator's Manual | Refer to Operator's Manual |
| 1250 | Torq-Gard Supreme | 11.2 (10.5) | | Hy-Gard (J20C) | 8.3 Gal. (31.5) |
| 1450 | Torq-Gard Supreme | 12.7 (12) | | Hy-Gard (J20C) | 8.3 Gal. (31.5) |
| 1530 | Refer to Operator's Manual | Refer to Operator's Manual | | Refer to Operator's Manual | Refer to Operator's Manual |
| 1650 | Torq-Gard Supreme | 12.7 (12) | | Hy-Gard (J20C) | 8.3 Gal. (31.5) |
| 2020 | Refer to Operator's Manual | Refer to Operator's Manual | | Refer to Operator's Manual | Refer to Operator's Manual |
| 2355 | Refer to Operator's Manual | Refer to Operator's Manual | | Refer to Operator's Manual | Refer to Operator's Manual |
| 2040, 2240 | Refer to Operator's Manual | Refer to Operator's Manual | | Refer to Operator's Manual | Refer to Operator's Manual |
| 2150, 2155, 2350, 2355N | Refer to Operator's Manual | Refer to Operator's Manual | | Refer to Operator's Manual | Refer to Operator's Manual |
| 5103, 5203, 5303 | Plus-50, Torq-Gard Supreme | Refer to Operator's Manual | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10 Gal. (38) |
| 5105, 5205 | Plus-50, Torq-Gard Supreme | 7.9 (7.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 8.7 Gal. (33) |
| 5210 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10 Gal. (37.9) |
| 5310, 5310N | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10 Gal. (37.9) |
| 5410 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10 Gal. (37.9) |
| 5510, 5510N | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 11 Gal. (41.8) |
| 5400N | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 11 Gal. (41.8) |
| 5500N | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 11 Gal. (41.8) |
| 5500 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50, JD Plus-4 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 11 Gal. (41.8) |
| 5200 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 7 (6.6) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10 Gal. (37.9) |
| 5300 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10 Gal. (37.9) |
| 5400 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme Plus 50 (See Operator's Manual) | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10 Gal. (37.9) |

Oil Types and Capacities (Continued)

| Model | Type Engine Oil | Capacity w/ Filter Qts. (Ltrs) | Capacity w/o Filter Qts. (Ltrs) | Type Hydraulic Oil | Capacity w/ Filter Qts. (Ltrs) |
|---|---|--------------------------------|--|--|---|
| UTILITY TRACTORS (Continued) | | | | | |
| 5220, 5320 | Preferred Engine Oil: Plus-50, Torq-Gard Supreme | | 10 (9.5) - 3 cyl., 11.5 (10.8) - 4 cyl. | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10 Gal. (38L) CollarShift or SnycShuttle, 11.5 Gal. (43.5 L) PowrReverser |
| 5420, 5520 | John Deere Plus-50 | 9 (8.5) | | Hy-Gard (J20C) | 10 Gal. (37.9) |
| 5325N, 5425N, 5525N | John Deere Plus-50 | 9 (8.5) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 12 Gal. (45.4) (PowrReverser) |
| 5225, 5325, 5425, 5525 | John Deere Plus-50 | 11 (10) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 10.3 Gal. (38.9) (SnycShuttle) 11.5 Gal. (43.5) (PowrReverser) |
| TRACTOR LOADER BACKHOE | | | | | |
| 110 TLB | Plus-50, Plus-4, Torq-Gard Supreme | 5 (4.9) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 9.7 Gal. (37) |
| UTILITY VEHICLES | | | | | |
| AMT600 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme, Plus 50, JD Plus-4 (See Operator's Manual) | | 1.3 (1.2) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.5 (2.3) |
| AMT622, AMT626 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme, Plus 50, JD Plus-4 (See Operator's Manual) | | 1.2 (1.1) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 2.5 (2.3) |
| GATOR/TRAIL GATOR 4X2 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme, Plus 50, JD Plus-4 (See Operator's Manual) | 1.2 (1.1) | | Hy-Gard (J20C) | 6.2 (5.9) |
| GATOR/TRAIL GATOR 6X4 | Preferred Engine Oil: Turf-Gard, Torq-Gard Supreme, Torq-Gard Supreme, Plus 50, JD Plus-4 (See Operator's Manual) | 1.4 (1.3) | | Hy-Gard (J20C) | 6.2 (5.9) |
| 4X2 TURF GATOR | 5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual) | 1.5 (1.4) | | Hy-Gard (J20C) | 1.65 (1.6) |
| 6X4 GATOR DIESEL | 5W-30 Year Round or SAE 30 Summer and Turf-Gard (See Operator's Manual) | 2.3 (2.2) | | Hy-Gard (J20C) | 1.65 (1.6) |
| 4X4 HPX GATOR, 4X4 Trail HPX GATOR (Gas) | Turf-Gard, Turf-4 | 1.37 (1.3) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.2 (4) |
| 4X2, 4X4 HPX GATOR (Diesel) | Plus-50, Torq-Gard Supreme | 2.3 (2.2) | 2.1 (2) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4.2 (4) |
| CS GATOR, CX GATOR | Plus-40 SAE 10W-40, Torq-Gard Supreme SAE 5W-30 | 1.2 (1.1) | 0.95 (0.9) | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 3 (2.8) |
| Buck UATV | SAE 10W-40, SAE 5W-30 | 2.65 (2.5) | | SAE 10W-40, SAE 5W-30 | 2.65 (2.5) |
| Trail Buck UATV | SAE 10W-40 Summer, SAE 5W-30 Winter | 2.65 (2.5) | | SAE 10W-40 Summer, SAE 5W-30 Winter | 2.65 (2.5) |
| 500 Buck Auto ATV | SAE 10W-40 Summer, SAE 5W-30 Winter | 3.17 (3) | | SAE 10W-40 Summer, SAE 5W-30 Winter | 3.17 (3) |
| 620i XUV, 625i XUV | Turf-Gard, Plus-4 | 1.37 (1.3) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4 (3.8) |
| 825i XUV | Turf-Gard, Plus-4 | 2.8 (2.65) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4 (3.8) |
| 850D XUV, 855D XUV | Plus-50, Torq-Gard Supreme | 2.75 (2.6) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4 (3.8) |
| TS GATOR (4X2) | Turf-Gard, Plus-4 | 1.26 (1.2) | 0.95 (0.9) | Hy-Gard (J20C) | 6.1 (5.8) |
| TH 6X4 GATOR (Gas) | Turf-Gard, Plus-4 | 1.7 (1.6) | | Hy-Gard (J20C) | 6.1 (5.8) |
| XUV 4X4 GATOR (Gas) | Turf-Gard, Plus-4 | 1.37 (1.3) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4 (3.8) |
| XUV 4X4 GATOR (Diesel) | Plus-50, Torq-Gard Supreme | 2.3 (2.2) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 4 (3.8) |
| TH 6X4 GATOR (Diesel) | Plus-50, Torq-Gard Supreme | 1.7 (1.6) | | Hy-Gard (J20C), or Low Viscosity Hy-Gard (J20D) | 5 (4.7) |
| 4X2 TX GATOR, 4X2 TX Turf GATOR | Turf-Gard, Plus-4 | 1.37 (1.3) | | Hy-Gard (J20C) | 5.92 (5.6) |
| 2020 | Turf-Gard, Plus-4 (See OM for Operating Temp.) | 2.2 (2.1) | | Hy-Gard (J20C) | 2.8 Gal. (10.6) |
| 2030 | Plus-50, Torq-Gard Supreme, Plus-4 | 2.2 (2.1) | | Hy-Gard (J20C) | 2.8 Gal. (10.6) |